

4th International Ulla Klinger Cup

Date: 04. November 2016 – 06. November 2016

Organizer: SV Neptun 1910 Aachen e.V.

Venue: Ulla-Klinger-Halle

Leader of the Competition: Alexander Neufeld

Participants: Age group D girls and boys born 2005/2006*
Age group C girls and boys born 2003/2004
Age group B girls and boys born 2001/2002

Program: 1m-, 3m- springboard, platform and 3m synchronized

Results provided using Divecalc registered to Neptun Aachen - Wasserspringen

Protocol

Male – age group C

3m springboard

Jury:

1. Neufeld, Alexander, SVNA
2. Donoval, Sanda, CRO
3. Galperin, Gleb, RUS

WK-11 3m springboard Boys C**Results**

Springer	Verein/Land	Geburtstag	Ergebnis
1. Huschke, Till	Germany - DHfK Leipzig	2003	318.65
2. Schwab, Maxim	SV Neptun 1910 Aachen e.V.	2003	307.20
3. Todorow, Friedrich	Germany - DHfK Leipzig	2004	304.40
4. Breitfeld, Johannes	Germany - DHfK Leipzig	2003	300.90
5. Wilhem, Mika	Germany - DHfK Leipzig	2003	298.60
6. Kleinert, Simon	Germany - SV Halle	2004	295.05
7. Kassirov, Pavel	Russia - St.Petersburg	2004	291.95
8. Bilke, Christian	SV Neptun 1910 Aachen e.V.	2004	284.65
9. Burmistrov, Igor	Russia - St.Petersburg	2004	265.05
10. Leontevskii, Aleksandr	Russia - St.Petersburg	2004	256.60
11. Ledinski, David	Croatia - Zagreb	2004	250.60
12. Pshenichnikov, Danila	Russia - Moscow	2004	244.15
13. Kabonen, Daniel	Finland - Vantaa	2004	214.75
14. Raatgever, Marien	Netherlands - Nieuwegein	2003	206.20
15. Zaspel, Adrian	Swiss Diving	2004	183.15

Detailed results

1. Zhang, Jing, Schanghai

1. Huschke, Till, DHfK, 2003

103B	3	1.6	6.0	6.5	7.0	6.5	6.0	19.00	30.40	30.40	30.40	9.
201B	3	1.8	7.0	6.5	7.0	6.5	6.5	20.00	36.00	66.40	66.40	6.
301B	3	1.9	6.5	7.0	6.0	5.5	6.5	19.00	36.10	102.50	102.50	2.
403B	3	2.1	6.5	5.5	5.5	6.0	6.0	17.50	36.75	139.25	139.25	3.
5231D	3	2.0	6.5	6.5	7.5	7.0	6.5	20.00	40.00	179.25	179.25	1.
105B	3	2.4	6.5	6.0	7.0	6.5	6.0	19.00	45.60	224.85	224.85	2.
305C	3	2.8	6.5	5.0	6.5	7.0	5.5	18.50	51.80	276.65	276.65	1.
5233D	3	2.4	5.5	6.0	6.0	5.5	6.0	17.50	42.00	318.65	318.65	1.
		17.0	6.4	6.1	6.6	6.3	6.1					

2. Schwab, Maxim, SVNA, 2003

403B	3	2.1	6.5	7.0	6.5	6.0	6.0	19.00	39.90	39.90	39.90	1.
103B	3	1.6	6.5	7.0	6.0	6.0	6.5	19.00	30.40	70.30	70.30	2.
201B	3	1.8	7.0	6.5	7.0	6.5	6.5	20.00	36.00	106.30	106.30	1.
301B	3	1.9	5.0	4.5	5.0	4.5	5.0	14.50	27.55	133.85	133.85	4.
5132D	3	2.1	5.5	6.0	6.0	6.0	6.0	18.00	37.80	171.65	171.65	4.
405C	3	2.7	5.0	5.5	5.5	5.5	5.5	16.50	44.55	216.20	216.20	4.
205C	3	2.8	6.5	6.5	7.5	7.0	6.5	20.00	56.00	272.20	272.20	2.
305C	3	2.8	4.0	4.5	4.5	4.0	4.0	12.50	35.00	307.20	307.20	2.
		17.8	5.8	5.9	6.0	5.7	5.8					

3. Burmistrov, Igor, RUSP, 2004												
103B	3	1.6	6.0	6.0	6.0	6.0	6.5	18.00	28.80	28.80	28.80	11.
403B	3	2.1	6.5	6.0	6.0	5.5	6.0	18.00	37.80	66.60	66.60	4.
201B	3	1.8	6.5	6.5	6.5	6.0	7.0	19.50	35.10	101.70	101.70	4.
301B	3	1.9	7.0	6.5	7.0	7.0	7.0	21.00	39.90	141.60	141.60	1.
5132D	3	2.1	5.5	5.5	6.0	6.0	6.0	17.50	36.75	178.35	178.35	3.
405C	3	2.7	5.0	5.0	5.5	5.0	5.0	15.00	40.50	218.85	218.85	3.
205C	3	2.8	5.5	5.5	6.0	5.5	5.0	16.50	46.20	265.05	265.05	3.
305C	3	2.8	5.0	5.0	5.5	5.0	5.0	15.00	42.00	307.05	307.05	3.
		17.8	5.9	5.8	6.1	5.8	5.9					
4. Todorow, Friedrich, DHfK, 2004												
103B	3	1.6	5.5	6.0	5.0	5.0	4.5	15.50	24.80	24.80	24.80	13.
201B	3	1.8	6.0	6.0	5.5	6.0	5.5	17.50	31.50	56.30	56.30	14.
301B	3	1.9	5.5	6.0	6.0	5.0	5.0	16.50	31.35	87.65	87.65	11.
403B	3	2.1	7.0	6.0	7.0	7.0	6.0	20.00	42.00	129.65	129.65	7.
5231D	3	2.0	6.0	6.0	6.0	6.5	6.0	18.00	36.00	165.65	165.65	7.
105B	3	2.4	6.5	6.5	7.0	7.0	6.0	20.00	48.00	213.65	213.65	6.
405C	3	2.7	5.5	5.5	6.0	5.5	5.5	16.50	44.55	258.20	258.20	4.
205C	3	2.8	5.5	5.5	6.0	5.5	5.0	16.50	46.20	304.40	304.40	4.
		17.3	5.9	5.9	6.1	5.9	5.4					
5. Breitfeld, Johannes, DHfK, 2003												
103B	3	1.6	7.0	6.5	7.0	7.0	6.5	20.50	32.80	32.80	32.80	5.
201B	3	1.8	7.0	7.0	7.0	7.0	7.0	21.00	37.80	70.60	70.60	1.
301B	5	1.7	6.5	6.0	5.5	5.5	6.0	17.50	29.75	100.35	100.35	5.
403B	3	2.1	6.5	6.0	6.5	6.5	5.5	19.00	39.90	140.25	140.25	2.
5231D	3	2.0	7.0	6.5	6.5	6.5	6.0	19.50	39.00	179.25	179.25	1.
105B	3	2.4	7.0	6.5	7.0	7.0	6.0	20.50	49.20	228.45	228.45	1.
205C	3	2.8	3.0	3.0	3.0	2.5	3.5	9.00	25.20	253.65	253.65	5.
405C	3	2.7	6.0	5.0	6.0	6.0	5.5	17.50	47.25	300.90	300.90	5.
		17.1	6.3	5.8	6.1	6.0	5.8					
6. Wilhem, Mika, DHfK, 2003												
103B	3	1.6	6.5	6.5	6.5	6.5	6.5	19.50	31.20	31.20	31.20	6.
201B	3	1.8	4.5	5.0	4.0	4.5	5.0	14.00	25.20	56.40	56.40	13.
301B	3	1.9	5.5	5.0	5.0	4.5	5.5	15.50	29.45	85.85	85.85	12.
403B	3	2.1	6.5	6.0	6.5	6.5	6.0	19.00	39.90	125.75	125.75	10.
5231D	3	2.0	6.0	6.0	6.5	6.0	6.0	18.00	36.00	161.75	161.75	8.
405C	3	2.7	6.0	5.5	6.0	6.0	5.0	17.50	47.25	209.00	209.00	7.
107C	3	2.8	4.0	5.0	5.0	5.0	3.5	14.00	39.20	248.20	248.20	8.
205C	3	2.8	6.0	6.0	6.0	6.0	5.5	18.00	50.40	298.60	298.60	6.
		17.7	5.6	5.6	5.7	5.6	5.4					
7. Kleinert, Simon, Germany - SV Halle, 2004												
103B	3	1.6	6.5	7.0	6.0	6.0	6.0	18.50	29.60	29.60	29.60	10.
201B	3	1.8	6.0	6.0	6.0	5.5	6.0	18.00	32.40	62.00	62.00	10.
301B	3	1.9	6.0	6.5	6.0	5.0	6.0	18.00	34.20	96.20	96.20	9.
403B	3	2.1	5.5	5.0	5.0	4.5	5.0	15.00	31.50	127.70	127.70	8.
5132D	3	2.1	6.5	6.5	7.0	6.0	6.5	19.50	40.95	168.65	168.65	6.
105B	3	2.4	5.5	5.0	5.5	5.5	5.5	16.50	39.60	208.25	208.25	8.
205C	3	2.8	5.5	5.5	5.5	4.5	5.0	16.00	44.80	253.05	253.05	6.
5233D	3	2.4	6.5	6.5	5.5	5.0	5.5	17.50	42.00	295.05	295.05	7.
		17.1	6.0	6.0	5.8	5.3	5.7					
8. Kassirov, Pavel, RUSP, 2004												
103B	3	1.6	6.5	7.0	6.5	6.5	6.0	19.50	31.20	31.20	31.20	6.
403B	3	2.1	6.0	5.5	5.5	5.5	6.0	17.00	35.70	66.90	66.90	3.
201B	3	1.8	5.5	5.5	5.5	5.5	6.0	16.50	29.70	96.60	96.60	7.
301B	3	1.9	6.5	6.5	6.5	6.0	6.0	19.00	36.10	132.70	132.70	5.
5132D	3	2.1	6.0	7.0	6.5	6.0	5.5	18.50	38.85	171.55	171.55	5.
105B	3	2.4	5.5	6.0	6.0	6.0	6.0	18.00	43.20	214.75	214.75	5.
405C	3	2.7	4.0	4.0	4.0	3.0	4.0	12.00	32.40	247.15	247.15	9.
205C	3	2.8	5.0	5.5	5.5	5.5	5.0	16.00	44.80	291.95	291.95	8.
		17.4	5.6	5.9	5.8	5.5	5.6					
9. Bilke, Christian, SVNA, 2004												
403B	3	2.1	6.0	6.0	5.5	5.0	5.5	17.00	35.70	35.70	35.70	3.
103B	3	1.6	5.5	6.0	6.5	6.0	5.0	17.50	28.00	63.70	63.70	9.
201B	3	1.8	6.5	6.5	6.0	6.0	6.0	18.50	33.30	97.00	97.00	6.
301B	3	1.9	5.5	6.0	5.5	4.5	5.0	16.00	30.40	127.40	127.40	9.
5132D	3	2.1	5.0	5.5	5.0	5.0	5.0	15.00	31.50	158.90	158.90	10.
405C	3	2.7	5.5	5.5	5.5	5.5	5.5	16.50	44.55	203.45	203.45	9.
205C	3	2.8	5.5	6.5	6.0	5.0	5.0	16.50	46.20	249.65	249.65	7.
305C	3	2.8	4.0	4.0	4.5	3.5	4.5	12.50	35.00	284.65	284.65	9.
		17.8	5.4	5.8	5.6	5.1	5.2					

10. Leontevskii, Aleksandr, RUSP, 2004												
103B	3	1.6	6.5	6.5	6.0	6.5	6.5	19.50	31.20	31.20	31.20	6.
403B	3	2.1	5.5	5.0	5.5	5.5	5.5	16.50	34.65	65.85	65.85	7.
201B	3	1.8	5.0	6.0	6.0	5.0	6.0	17.00	30.60	96.45	96.45	8.
301B	3	1.9	4.5	5.5	5.5	4.5	5.0	15.00	28.50	124.95	124.95	11.
5132D	3	2.1	5.5	6.0	6.5	6.0	5.5	17.50	36.75	161.70	161.70	9.
105B	3	2.4	5.5	5.0	5.5	5.5	5.5	16.50	39.60	201.30	201.30	10.
405C	3	2.7	3.0	2.5	3.5	2.5	3.5	9.00	24.30	225.60	225.60	11.
5231D	3	2.0	5.5	5.0	5.5	4.5	5.0	15.50	31.00	256.60	256.60	10.
		16.6	5.1	5.2	5.5	5.0	5.3					
11. Ledinski, David, Croatia - Zagreb, 2004												
403B	3	2.1	6.5	6.0	6.0	5.5	6.0	18.00	37.80	37.80	37.80	2.
103B	3	1.6	6.5	6.0	6.0	6.0	6.0	18.00	28.80	66.60	66.60	4.
301B	3	1.9	6.0	5.5	6.5	6.5	6.0	18.50	35.15	101.75	101.75	3.
201B	3	1.8	6.0	5.5	4.5	5.0	5.5	16.00	28.80	130.55	130.55	6.
5231D	3	2.0	4.5	4.5	5.5	4.5	4.5	13.50	27.00	157.55	157.55	11.
105B	3	2.4	5.5	5.5	6.0	5.5	5.5	16.50	39.60	197.15	197.15	11.
405C	3	2.7	3.5	3.5	4.0	4.0	4.0	11.50	31.05	228.20	228.20	10.
205C	3	2.8	2.0	4.0	2.5	2.5	3.0	8.00	22.40	250.60	250.60	11.
		17.3	5.1	5.1	5.1	4.9	5.1					
12. Pshenichnikov, Danila, Russia - Moscow, 2004												
103B	3	1.6	6.0	6.0	6.5	6.0	6.0	18.00	28.80	28.80	28.80	11.
403B	3	2.1	6.0	5.5	5.5	5.0	6.0	17.00	35.70	64.50	64.50	8.
201B	3	1.8	4.5	5.0	4.5	4.5	5.0	14.00	25.20	89.70	89.70	10.
301B	3	1.9	6.0	5.0	5.0	4.5	5.5	15.50	29.45	119.15	119.15	12.
5132D	3	2.1	5.5	6.0	6.0	5.5	5.5	17.00	35.70	154.85	154.85	12.
5134D	3	2.5	4.5	5.0	4.0	4.5	5.0	14.00	35.00	189.85	189.85	12.
405C	3	2.7	2.0	1.5	1.5	1.5	2.0	5.00	13.50	203.35	203.35	12.
105B	3	2.4	5.5	6.0	6.0	5.5	5.0	17.00	40.80	244.15	244.15	12.
		17.1	5.0	5.0	4.9	4.6	5.0					
13. Kabonen, Daniel, Finland - Vantaa, 2004												
103B	3	1.6	5.0	5.5	4.5	4.5	5.5	15.00	24.00	24.00	24.00	14.
403B	3	2.1	5.5	5.0	5.0	4.5	5.5	15.50	32.55	56.55	56.55	12.
201B	3	1.8	5.0	4.5	4.5	4.0	4.5	13.50	24.30	80.85	80.85	13.
301B	3	1.9	4.5	5.5	4.5	4.0	5.5	14.50	27.55	108.40	108.40	13.
5231D	3	2.0	5.5	6.0	6.0	5.5	5.5	17.00	34.00	142.40	142.40	13.
105C	3	2.2	3.5	3.5	4.0	4.0	3.5	11.00	24.20	166.60	166.60	13.
405C	3	2.7	3.5	3.5	4.5	4.0	4.0	11.50	31.05	197.65	197.65	13.
203C	3	1.9	3.0	3.0	3.0	3.5	2.0	9.00	17.10	214.75	214.75	13.
		16.2	4.4	4.6	4.5	4.3	4.5					
14. Raatgever, Marien, NEDN, 2003												
101B	3	1.5	5.5	5.0	5.0	4.5	5.0	15.00	22.50	22.50	22.50	15.
401B	3	1.4	7.0	6.0	6.5	6.0	6.0	18.50	25.90	48.40	48.40	15.
201B	3	1.8	4.5	4.5	4.5	4.0	5.0	13.50	24.30	72.70	72.70	15.
301C	3	1.8	5.5	5.0	5.0	4.0	5.0	15.00	27.00	99.70	99.70	15.
5211A	3	2.0	4.5	4.5	4.0	3.5	4.5	13.00	26.00	125.70	125.70	14.
103B	3	1.6	4.0	4.0	4.5	4.5	4.5	13.00	20.80	146.50	146.50	14.
403C	3	1.9	5.5	5.0	5.5	5.5	6.0	16.50	31.35	177.85	177.85	14.
5132D	3	2.1	5.0	4.5	4.5	4.5	4.5	13.50	28.35	206.20	206.20	14.
		14.1	5.2	4.8	4.9	4.6	5.1					
15. Zaspel, Adrian, Swiss Diving, 2004												
403B	3	2.1	5.5	6.0	5.5	5.0	5.5	16.50	34.65	34.65	34.65	4.
103B	3	1.6	5.5	5.0	4.5	4.5	4.5	14.00	22.40	57.05	57.05	11.
201B	3	1.8	3.0	4.0	3.5	3.5	4.5	11.00	19.80	76.85	76.85	14.
301B	3	1.9	5.0	5.0	5.0	5.0	5.0	15.00	28.50	105.35	105.35	14.
5231D	3	2.0	3.0	3.0	3.5	3.5	3.5	10.00	20.00	125.35	125.35	15.
405C	3	2.7	2.0	3.0	2.0	1.5	3.5	7.00	18.90	144.25	144.25	15.
105C	3	2.2	1.5	2.0	1.0	1.0	3.0	4.50	9.90	154.15	154.15	15.
303C	3	2.0	5.0	5.0	5.0	4.5	4.5	14.50	29.00	183.15	183.15	15.
		16.3	3.8	4.1	3.8	3.6	4.3					

Kampfrichter:

1. de Vroome, Angélique, NEDN

3. Barta, Nora, NEDE

5. Kantola, Alina, FINV

2. Becker, Philipp, SVH

4. Novotna, Hana, CZE

Schiedsrichter:

Schartner, Johann, SVNA

Protokoll:

Verse, Guido, SVNA