

4th International Ulla Klinger Cup

Date: 04. November 2016 – 06. November 2016

Organizer: SV Neptun 1910 Aachen e.V.

Venue: Ulla-Klinger-Halle

Leader of the Competition: Alexander Neufeld

Participants: Age group D girls and boys born 2005/2006*
Age group C girls and boys born 2003/2004
Age group B girls and boys born 2001/2002

Program: 1m-, 3m- springboard, platform and 3m synchronized

Results provided using Divecalc registered to Neptun Aachen - Wasserspringen

Protocol

Male – age group C platform (5-7,5m)

Jury:

1. Neufeld, Alexander, SVNA
2. Donoval, Sanda, CRO
3. Galperin, Gleb, RUS

WK-12 platform (5-7,5m) Boys C**Results**

Springer	Verein/Land	Geburtstag	Ergebnis
1. Bilke, Christian	SV Neptun 1910 Aachen e.V.	2004	325.90
2. Kassirov, Pavel	Russia - St.Petersburg	2004	311.70
3. Schwab, Maxim	SV Neptun 1910 Aachen e.V.	2003	306.10
4. Todorow, Friedrich	Germany - DHfK Leipzig	2004	266.90
5. Burmistrov, Igor	Russia - St.Petersburg	2004	259.15
6. Breitfeld, Johannes	Germany - DHfK Leipzig	2003	250.10
7. Huschke, Till	Germany - DHfK Leipzig	2003	247.05
8. Kabonen, Daniel	Finland - Vantaa	2004	245.25
9. Wilhem, Mika	Germany - DHfK Leipzig	2003	241.85
10. Kleinert, Simon	Germany - SV Halle	2004	238.90
11. Pshenichnikov, Danila	Russia - Moscow	2004	207.45
12. Zaspel, Adrian	Swiss Diving	2004	162.30

Detailed results

Dive	Hght	DD	Judges'	Awards	Sum	Result	Set	Total
1. Bilke, Christian, SVNA, 2004								
403B	7.5	2.1	6.5	6.5 6.0 5.5 6.5	19.00	39.90	39.90	39.90 2.
103B	7.5	1.6	7.0	6.5 7.0 7.0 6.5	20.50	32.80	72.70	72.70 3.
201B	7.5	1.8	7.0	6.5 6.0 7.0 5.5	19.50	35.10	107.80	107.80 4.
5132D	7.5	2.1	7.0	6.5 6.5 6.5 6.0	19.50	40.95	148.75	148.75 5.
405C	7.5	2.7	7.5	7.0 7.0 4.5 6.5	20.50	55.35	204.10	204.10 2.
205C	7.5	2.8	7.5	7.0 7.0 6.5 7.0	21.00	58.80	262.90	262.90 1.
305C	7.5	2.8	8.0	6.5 7.0 7.5 8.0	22.50	63.00	325.90	325.90 1.
		15.9	7.2	6.6 6.6 6.4 6.6				
2. Kassirov, Pavel, RUSP, 2004								
103B	7.5	1.6	5.5	5.5 5.5 6.0 5.0	16.50	26.40	26.40	26.40 11.
403B	7.5	2.1	6.0	6.0 6.0 5.0 6.0	18.00	37.80	64.20	64.20 5.
201B	7.5	1.8	8.0	9.0 8.5 7.5 8.5	25.00	45.00	109.20	109.20 3.
301B	7.5	1.9	7.0	8.0 8.0 8.5 8.0	24.00	45.60	154.80	154.80 3.
105B	7.5	2.4	5.0	5.0 5.5 6.5 5.0	15.50	37.20	192.00	192.00 5.
405C	7.5	2.7	7.0	7.0 7.0 6.5 7.0	21.00	56.70	248.70	248.70 3.
205C	7.5	2.8	7.0	7.5 8.0 8.0 7.0	22.50	63.00	311.70	311.70 2.
		15.3	6.5	6.9 6.9 6.9 6.6				
3. Schwab, Maxim, SVNA, 2003								
403B	7.5	2.1	7.5	8.0 8.0 7.0 8.0	23.50	49.35	49.35	49.35 1.
103B	7.5	1.6	8.0	7.5 7.5 7.5 8.0	23.00	36.80	86.15	86.15 1.
201B	7.5	1.8	8.0	8.5 7.5 8.0 9.0	24.50	44.10	130.25	130.25 1.
5132D	7.5	2.1	7.0	6.5 6.5 6.5 6.5	19.50	40.95	171.20	171.20 1.
405C	5	3.1	5.5	5.0 5.0 5.5 5.0	15.50	48.05	219.25	219.25 1.
305C	5	3.1	5.0	4.5 4.5 4.5 4.5	13.50	41.85	261.10	261.10 2.
205C	5	3.0	5.0	5.0 5.0 6.0 4.5	15.00	45.00	306.10	306.10 3.
		16.8	6.6	6.4 6.3 6.4 6.5				

4. Todorow, Friedrich, DHfK, 2004												
103B	7.5	1.6	5.5	6.5	6.5	6.5	5.5	18.50	29.60	29.60	29.60	8.
612B	7.5	1.8	6.0	6.5	6.0	6.0	6.5	18.50	33.30	62.90	62.90	7.
403B	7.5	2.1	6.5	6.5	6.5	6.0	6.5	19.50	40.95	103.85	103.85	7.
5231D	5	2.1	5.5	6.0	6.0	4.5	5.5	17.00	35.70	139.55	139.55	6.
105C	5	2.4	5.0	6.0	5.5	5.5	5.5	16.50	39.60	179.15	179.15	6.
405C	7.5	2.7	5.5	6.0	5.5	6.0	6.0	17.50	47.25	226.40	226.40	5.
205C	5	3.0	5.0	4.5	4.5	4.5	3.5	13.50	40.50	266.90	266.90	4.
		15.7	5.6	6.0	5.8	5.6	5.6					
5. Burmistrov, Igor, RUSP, 2004												
103B	7.5	1.6	7.0	7.0	7.0	6.5	6.0	20.50	32.80	32.80	32.80	4.
403B	7.5	2.1	7.0	7.0	6.5	7.0	6.5	20.50	43.05	75.85	75.85	2.
301B	7.5	1.9	7.5	8.0	8.0	8.0	8.0	24.00	45.60	121.45	121.45	2.
5231D	7.5	2.0	6.5	6.5	6.0	7.0	6.0	19.00	38.00	159.45	159.45	2.
105B	5	2.6	5.0	4.5	4.5	4.0	4.5	13.50	35.10	194.55	194.55	4.
405C	7.5	2.7	4.0	3.5	4.0	4.0	4.0	12.00	32.40	226.95	226.95	4.
205C	7.5	2.8	4.0	4.0	3.5	4.0	3.5	11.50	32.20	259.15	259.15	5.
		15.7	5.9	5.8	5.6	5.8	5.5					
6. Breitfeld, Johannes, DHfK, 2003												
103B	7.5	1.6	6.5	6.5	6.0	5.0	6.5	19.00	30.40	30.40	30.40	7.
612B	7.5	1.8	6.0	5.5	5.0	5.5	6.5	17.00	30.60	61.00	61.00	8.
301B	5	1.7	5.0	5.5	5.0	5.5	4.0	15.50	26.35	87.35	87.35	10.
403B	7.5	2.1	7.0	6.5	5.5	6.0	6.0	18.50	38.85	126.20	126.20	10.
105B	5	2.6	6.0	6.5	6.0	5.0	6.5	18.50	48.10	174.30	174.30	7.
405C	7.5	2.7	5.5	5.5	5.0	5.5	6.0	16.50	44.55	218.85	218.85	7.
5233D	5	2.5	4.0	4.5	4.0	4.5	3.5	12.50	31.25	250.10	250.10	6.
		15.0	5.7	5.8	5.2	5.3	5.6					
7. Huschke, Till, DHfK, 2003												
103B	7.5	1.6	6.5	6.0	6.0	6.0	6.0	18.00	28.80	28.80	28.80	9.
612B	7.5	1.8	7.0	6.5	6.0	6.5	6.0	19.00	34.20	63.00	63.00	6.
403B	7.5	2.1	7.0	7.0	7.0	7.0	7.0	21.00	44.10	107.10	107.10	5.
5231D	7.5	2.0	6.5	6.5	7.5	8.0	7.5	21.50	43.00	150.10	150.10	4.
105B	5	2.6	5.5	6.5	6.5	6.5	6.0	19.00	49.40	199.50	199.50	3.
405C	7.5	2.7	3.5	3.0	2.0	2.5	2.0	7.50	20.25	219.75	219.75	6.
303C	5	2.1	4.0	4.5	4.0	4.5	4.5	13.00	27.30	247.05	247.05	7.
		14.9	5.7	5.7	5.6	5.9	5.6					
8. Kabonen, Daniel, Finland - Vantaa, 2004												
103B	7.5	1.6	6.0	6.0	6.5	6.0	6.0	18.00	28.80	28.80	28.80	9.
403B	7.5	2.1	7.0	6.5	7.0	6.5	7.0	20.50	43.05	71.85	71.85	4.
201B	7.5	1.8	6.5	6.0	6.0	7.0	6.0	18.50	33.30	105.15	105.15	6.
301B	7.5	1.9	4.5	4.5	5.0	5.0	4.5	14.00	26.60	131.75	131.75	7.
5231D	7.5	2.0	6.5	6.0	6.5	6.0	6.0	18.50	37.00	168.75	168.75	9.
105C	5	2.4	5.0	5.5	5.0	5.0	5.0	15.00	36.00	204.75	204.75	9.
405C	7.5	2.7	5.0	5.0	5.0	5.0	5.0	15.00	40.50	245.25	245.25	8.
		14.5	5.8	5.6	5.9	5.8	5.6					
9. Wilhem, Mika, DHfK, 2003												
103B	7.5	1.6	7.0	7.5	7.5	7.5	7.5	22.50	36.00	36.00	36.00	3.
301B	7.5	1.9	4.0	4.0	4.0	4.0	4.0	12.00	22.80	58.80	58.80	11.
403B	7.5	2.1	6.5	6.0	6.0	5.5	6.0	18.00	37.80	96.60	96.60	8.
5231D	7.5	2.0	6.0	5.5	5.0	5.5	5.5	16.50	33.00	129.60	129.60	8.
105B	5	2.6	5.5	5.0	5.0	6.0	5.5	16.00	41.60	171.20	171.20	8.
405C	5	3.1	4.0	3.5	3.5	4.0	4.0	11.50	35.65	206.85	206.85	8.
5235D	7.5	2.8	4.0	3.5	4.0	5.0	4.5	12.50	35.00	241.85	241.85	9.
		16.1	5.3	5.0	5.0	5.4	5.3					
10. Kleinert, Simon, Germany - SV Halle, 2004												
103B	5	1.7	6.5	6.0	6.0	5.5	6.0	18.00	30.60	30.60	30.60	6.
612B	5	1.7	6.0	5.0	5.0	5.0	5.0	15.00	25.50	56.10	56.10	12.
301B	5	1.7	6.0	5.0	6.5	5.0	5.5	16.50	28.05	84.15	84.15	11.
5132D	5	2.2	5.5	6.0	6.0	4.5	5.5	17.00	37.40	121.55	121.55	11.
403C	5	2.2	5.0	5.0	5.0	5.5	6.0	15.50	34.10	155.65	155.65	11.
105C	5	2.4	6.0	6.0	6.5	6.0	6.5	18.50	44.40	200.05	200.05	10.
5231D	5	2.1	6.0	5.5	6.5	6.5	6.0	18.50	38.85	238.90	238.90	10.
		14.0	5.9	5.5	5.9	5.4	5.8					
11. Pshenichnikov, Danila, Russia - Moscow, 2004												
103B	7.5	1.6	5.5	6.0	5.5	5.0	5.5	16.50	26.40	26.40	26.40	11.
403B	7.5	2.1	5.5	5.5	5.0	5.0	5.0	15.50	32.55	58.95	58.95	10.
612B	7.5	1.8	6.0	4.5	5.0	5.0	6.0	16.00	28.80	87.75	87.75	9.
5132D	5	2.2	6.0	6.0	6.0	5.5	6.0	18.00	39.60	127.35	127.35	9.
105B	5	2.6	4.0	4.0	4.0	4.5	3.5	12.00	31.20	158.55	158.55	10.
405C	7.5	2.7	2.5	2.5	2.0	3.0	2.0	7.00	18.90	177.45	177.45	11.
205C	5	3.0	3.5	3.5	3.5	3.0	3.0	10.00	30.00	207.45	207.45	11.
		16.0	4.7	4.6	4.4	4.4	4.4					

12. Zaspel, Adrian, Swiss Diving, 2004												
103B	7.5	1.6	6.0	7.0	7.0	6.5	6.0	19.50	31.20	31.20	31.20	5.
403B	7.5	2.1	5.0	4.5	4.0	4.5	4.5	13.50	28.35	59.55	59.55	9.
612B	7.5	1.8	3.5	2.5	3.5	3.5	3.5	10.50	18.90	78.45	78.45	12.
201C	5	1.5	6.0	5.5	6.0	6.0	6.0	18.00	27.00	105.45	105.45	12.
301C	5	1.6	4.0	4.5	4.0	3.5	4.0	12.00	19.20	124.65	124.65	12.
105C	5	2.4	4.0	2.5	3.5	3.0	3.0	9.50	22.80	147.45	147.45	12.
405C	7.5	2.7	2.0	1.0	2.0	2.0	1.5	5.50	14.85	162.30	162.30	12.
		13.7	4.4	3.9	4.3	4.1	4.1					

Kampfrichter:

- | | |
|---------------------------------|-----------------------------|
| 1. Schartner, Johann, SVNA | 2. Keckmann, Salla, FINN |
| 3. Leontevskaia, Svetlana, RUSP | 4. Lindkvist, Fredrik, SKNS |
| 5. Novosel, Marina, CROZ | |

Schiedsrichter: de Vroome, Angélique, NEDN
 Protokoll: Verse, Guido, SVNA