

5th International Ulla Klinger Cup

Date: 03. November 2017 – 05. November 2017

Organizer: SV Neptun 1910 Aachen e.V.

Venue: Ulla-Klinger-Halle

Leader of the Competition: Alexander Neufeld

Participants: Age group D girls and boys born 2006/2007*
Age group C girls and boys born 2004/2005
Age group B girls and boys born 2002/2003

Program: 1m-, 3m- springboard, platform and 3m synchronized

Results provided using Divecalc registered to Neptun Aachen - Wasserspringen

Protocol

Male – age group B

1m springboard

WK-16 1m springboard Boys B**Results**

Diver	Club/Country	Year of birth	Result
1. Wesemann, Moritz	SV Neptun 1910 Aachen e.V.	2002	336.25
2. Antoniv, Anton	Ukraine	2002	332.55
3. Breitfeld, Johannes	Germany - DHfK Leipzig	2003	316.70
4. Hughes, Josh	Britain - Plymouth	2002	302.85
5. Huschke, Till	Germany - DHfK Leipzig	2003	299.15
6. Bucher, Thibaud	Swiss Diving	2003	286.70
7. Davis, Thomas	Britain - Plymouth	2002	285.30
8. Verse, Felix	SV Neptun 1910 Aachen e.V.	2002	284.05
9. Manuel, Daniel	Spain	2002	281.60
10. Schwab, Maxim	SV Neptun 1910 Aachen e.V.	2003	281.15
11. Vila, Pol	Spain	2003	278.45
12. Molina, David	Spain	2003	272.30
13. Marx, Jan	SV Neptun 1910 Aachen e.V.	2002	271.65
14. Meulebeek, Tycho	Netherlands - PSV Eindhoven	2002	269.35
15. Zaspel, Adrian	Swiss Diving	2003	263.95
16. Raatgever, Marien	Netherlands - Nieuwegein	2003	252.35
17. Baumgartner, Noah	Swiss Diving	2003	251.75
18. Gibbs, Josh	Britain - Plymouth	2003	247.85
19. Armitage, Ben	Britain - Plymouth	2002	232.80
20. Oztopcu, Manuel	Netherlands - Nieuwegein	2002	232.75
21. Jones, Ethan	Britain - Reading - Albatross Diving	2003	224.60
22. Mambro, Alessandro	Italy - Mr Sport - Marina Militare	2004	220.70

Detailed results

Dive	Hght	DD	Judges'	Awards	Sum	Result	Set	Total
1. Wesemann, Moritz, SVNA, 2002								
401A	1	1.8	6.5	6.5	6.5	6.5	7.0	19.50
101A	1	1.4	6.0	6.0	6.5	6.0	6.0	18.00
201A	1	1.7	6.0	6.0	6.0	7.0	6.5	18.50
301A	1	1.8	5.5	5.5	6.0	6.0	5.5	17.00
5331D	1	2.2	5.0	5.0	6.0	5.0	6.0	16.00
405C	1	3.1	6.0	5.5	6.0	5.5	5.5	17.00
107C	1	3.0	6.5	5.0	6.0	5.5	5.5	17.00
5335D	1	3.0	5.5	4.5	5.0	5.0	5.0	15.00
305C	1	3.0	3.5	3.0	3.5	3.0	4.5	10.00
		21.0	5.6	5.2	5.7	5.5	5.7	336.25

2. Antoniv, Anton, Ukraine, 2002												
401B	1	1.5	7.0	7.0	6.5	7.0	7.0	21.00	31.50	31.50	31.50	6.
103B	1	1.7	7.0	7.0	7.5	6.5	6.0	20.50	34.85	66.35	66.35	1.
201B	1	1.6	6.5	6.0	7.0	6.5	6.5	19.50	31.20	97.55	97.55	1.
301B	1	1.7	6.0	5.5	6.0	6.0	6.0	18.00	30.60	128.15	128.15	1.
5132D	1	2.2	6.0	6.5	6.0	6.0	6.0	18.00	39.60	167.75	167.75	1.
203B	1	2.3	6.0	6.0	6.0	6.5	5.5	18.00	41.40	209.15	209.15	2.
5233D	1	2.5	5.0	4.5	4.5	4.5	5.0	14.00	35.00	244.15	244.15	2.
105B	1	2.6	5.5	5.5	5.5	5.0	5.0	16.00	41.60	285.75	285.75	2.
403B	1	2.4	6.5	6.0	7.0	7.0	6.0	19.50	46.80	332.55	332.55	2.
		18.5	6.2	6.0	6.2	6.1	5.9					
3. Breitfeld, Johannes, DHfK, 2003												
103B	1	1.7	6.0	6.5	6.5	6.5	6.5	19.50	33.15	33.15	33.15	2.
201B	1	1.6	7.0	6.5	6.0	6.5	7.0	20.00	32.00	65.15	65.15	2.
301B	1	1.7	5.5	6.0	6.5	6.0	6.5	18.50	31.45	96.60	96.60	2.
401B	1	1.5	6.0	5.5	6.0	6.0	6.0	18.00	27.00	123.60	123.60	2.
5132D	1	2.2	6.5	6.0	6.5	7.0	6.0	19.00	41.80	165.40	165.40	2.
105B	1	2.6	4.0	5.0	4.0	4.0	4.0	12.00	31.20	196.60	196.60	3.
203B	1	2.3	5.0	6.0	6.0	5.0	6.0	17.00	39.10	235.70	235.70	3.
403B	1	2.4	6.0	6.0	6.0	5.0	6.0	18.00	43.20	278.90	278.90	3.
5231D	1	2.1	6.0	6.0	6.0	6.0	5.5	18.00	37.80	316.70	316.70	3.
		18.1	5.8	5.9	5.9	5.8	5.9					
4. Hughes, Josh, Britain - Plymouth, 2002												
401B	1	1.5	6.5	6.0	6.5	6.0	6.5	19.00	28.50	28.50	28.50	12.
103B	1	1.7	5.5	6.0	5.0	5.5	6.0	17.00	28.90	57.40	57.40	11.
201B	1	1.6	5.5	5.5	6.0	6.0	6.0	17.50	28.00	85.40	85.40	9.
301B	1	1.7	6.5	6.0	6.5	6.0	6.5	19.00	32.30	117.70	117.70	5.
5132D	1	2.2	5.5	5.5	5.5	5.5	6.0	16.50	36.30	154.00	154.00	4.
403B	1	2.4	5.0	6.0	6.0	4.0	5.5	16.50	39.60	193.60	193.60	4.
203B	1	2.3	5.5	5.5	5.5	5.0	5.5	16.50	37.95	231.55	231.55	4.
5233D	1	2.5	5.0	5.0	5.5	5.0	5.0	15.00	37.50	269.05	269.05	4.
105B	1	2.6	4.0	4.5	4.5	3.5	4.5	13.00	33.80	302.85	302.85	4.
		18.5	5.4	5.6	5.7	5.2	5.7					
5. Huschke, Till, DHfK, 2003												
103B	1	1.7	5.5	6.0	5.5	5.5	5.5	16.50	28.05	28.05	28.05	14.
201B	1	1.6	5.0	5.5	5.0	5.5	5.0	15.50	24.80	52.85	52.85	17.
301B	1	1.7	5.0	5.5	5.0	5.5	5.5	16.00	27.20	80.05	80.05	17.
401B	1	1.5	6.0	6.5	6.5	6.5	6.5	19.50	29.25	109.30	109.30	16.
5231D	1	2.1	5.5	5.5	5.0	5.5	5.0	16.00	33.60	142.90	142.90	12.
105B	1	2.6	4.5	4.5	4.5	4.5	4.0	13.50	35.10	178.00	178.00	12.
203B	1	2.3	5.0	5.5	6.0	4.5	6.5	16.50	37.95	215.95	215.95	9.
403B	1	2.4	6.0	6.0	6.5	6.0	6.0	18.00	43.20	259.15	259.15	5.
5233D	1	2.5	5.0	5.5	5.5	5.5	5.0	16.00	40.00	299.15	299.15	5.
		18.4	5.3	5.6	5.5	5.4	5.4					
6. Bucher, Thibaud, Swiss Diving, 2003												
103B	1	1.7	6.5	6.5	6.0	5.5	6.0	18.50	31.45	31.45	31.45	7.
201B	1	1.6	5.5	6.0	5.5	5.0	6.0	17.00	27.20	58.65	58.65	8.
301B	1	1.7	6.0	6.5	6.0	6.0	6.5	18.50	31.45	90.10	90.10	4.
401B	1	1.5	5.0	5.0	5.0	5.5	4.5	15.00	22.50	112.60	112.60	9.
5132D	1	2.2	6.0	6.0	5.5	5.5	6.0	17.50	38.50	151.10	151.10	7.
105B	1	2.6	5.0	5.0	4.5	4.5	5.0	14.50	37.70	188.80	188.80	6.
403B	1	2.4	5.0	4.5	4.0	5.0	5.0	14.50	34.80	223.60	223.60	5.
203B	1	2.3	3.5	3.5	4.0	3.5	4.5	11.00	25.30	248.90	248.90	6.
5231D	1	2.1	6.0	5.5	6.5	6.0	6.0	18.00	37.80	286.70	286.70	6.
		18.1	5.4	5.4	5.2	5.2	5.5					
7. Davis, Thomas, Britain - Plymouth, 2002												
401B	1	1.5	6.5	6.0	5.5	6.0	6.0	18.00	27.00	27.00	27.00	16.
103B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	57.60	57.60	10.
201B	1	1.6	6.0	6.5	6.0	6.0	6.5	18.50	29.60	87.20	87.20	7.
301B	1	1.7	5.5	6.0	6.5	6.0	7.0	18.50	31.45	118.65	118.65	4.
5231D	1	2.1	5.5	5.5	6.0	5.0	5.5	16.50	34.65	153.30	153.30	5.
403C	1	2.2	5.0	5.0	5.0	4.5	5.5	15.00	33.00	186.30	186.30	7.
303C	1	2.1	4.5	5.0	4.5	4.5	4.5	13.50	28.35	214.65	214.65	10.
203B	1	2.3	5.0	4.5	4.0	4.0	6.0	13.50	31.05	245.70	245.70	9.
105C	1	2.4	5.5	5.5	5.5	6.0	5.5	16.50	39.60	285.30	285.30	7.
		17.6	5.5	5.6	5.4	5.3	5.8					

8. Verse, Felix, SVNA, 2002												
103B	1	1.7	5.0	5.0	5.5	5.5	5.0	15.50	26.35	26.35	26.35	19.
201B	1	1.6	5.0	5.0	5.5	5.5	5.0	15.50	24.80	51.15	51.15	19.
301B	1	1.7	4.0	5.5	5.5	6.0	5.0	16.00	27.20	78.35	78.35	19.
401B	1	1.5	6.0	6.0	6.0	6.0	6.0	18.00	27.00	105.35	105.35	18.
5231D	1	2.1	5.0	5.0	6.0	4.5	5.5	15.50	32.55	137.90	137.90	16.
105B	1	2.6	4.5	5.0	5.0	5.0	4.5	14.50	37.70	175.60	175.60	14.
203B	1	2.3	4.0	4.0	4.0	5.5	4.5	12.50	28.75	204.35	204.35	15.
405C	1	3.1	4.0	4.0	4.0	4.0	4.5	12.00	37.20	241.55	241.55	11.
5233D	1	2.5	5.5	5.5	6.5	6.0	5.5	17.00	42.50	284.05	284.05	8.
		19.1	4.8	5.0	5.3	5.3	5.1					
9. Manuel, Daniel, Spain, 2002												
103B	1	1.7	6.5	6.5	7.0	6.0	6.5	19.50	33.15	33.15	33.15	2.
201B	1	1.6	6.5	7.0	6.5	7.0	6.5	20.00	32.00	65.15	65.15	2.
301B	1	1.7	3.0	4.0	3.0	4.0	3.5	10.50	17.85	83.00	83.00	14.
401B	1	1.5	6.0	6.0	6.5	6.0	6.0	18.00	27.00	110.00	110.00	14.
5132D	1	2.2	6.0	6.0	6.0	5.5	5.0	17.50	38.50	148.50	148.50	10.
105B	1	2.6	4.5	4.0	3.0	4.0	4.0	12.00	31.20	179.70	179.70	10.
203B	1	2.3	4.0	4.5	4.0	4.5	4.5	13.00	29.90	209.60	209.60	13.
303B	1	2.4	5.5	5.5	5.0	5.5	5.0	16.00	38.40	248.00	248.00	7.
403B	1	2.4	4.5	4.5	4.5	5.5	5.0	14.00	33.60	281.60	281.60	9.
		18.4	5.2	5.3	5.1	5.3	5.1					
10. Schwab, Maxim, SVNA, 2003												
401A	1	1.8	5.5	5.5	5.5	5.5	5.0	16.50	29.70	29.70	29.70	10.
101A	1	1.4	5.5	6.5	6.5	6.5	6.5	19.50	27.30	57.00	57.00	12.
201A	1	1.7	5.5	6.0	6.5	5.5	6.0	17.50	29.75	86.75	86.75	8.
301A	1	1.8	4.0	3.5	4.5	5.5	5.0	13.50	24.30	111.05	111.05	11.
5132D	1	2.2	5.5	6.0	6.0	5.0	5.5	17.00	37.40	148.45	148.45	11.
403B	1	2.4	5.5	5.0	5.5	5.0	5.0	15.50	37.20	185.65	185.65	9.
105B	1	2.6	4.5	5.0	4.5	4.0	4.5	13.50	35.10	220.75	220.75	6.
203B	1	2.3	3.5	3.5	4.0	3.0	5.0	11.00	25.30	246.05	246.05	8.
5333D	1	2.6	4.0	4.5	4.5	4.5	5.0	13.50	35.10	281.15	281.15	10.
		18.8	4.8	5.1	5.3	4.9	5.3					
11. Vila, Pol, Spain, 2003												
103B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	30.60	30.60	8.
201B	1	1.6	5.0	5.5	5.0	5.5	5.5	16.00	25.60	56.20	56.20	14.
301B	1	1.7	5.5	5.0	6.0	5.0	6.0	16.50	28.05	84.25	84.25	10.
401B	1	1.5	7.0	6.0	6.5	6.0	6.5	19.00	28.50	112.75	112.75	8.
5132D	1	2.2	5.5	5.5	5.5	5.5	6.0	16.50	36.30	149.05	149.05	8.
105C	1	2.4	5.5	5.5	6.0	6.0	6.0	17.50	42.00	191.05	191.05	5.
203C	1	2.0	4.0	4.0	4.5	3.5	4.5	12.50	25.00	216.05	216.05	8.
303C	1	2.1	3.0	2.5	2.5	2.5	4.0	8.00	16.80	232.85	232.85	15.
403B	1	2.4	6.5	5.5	6.0	6.5	6.5	19.00	45.60	278.45	278.45	11.
		17.6	5.3	5.1	5.3	5.2	5.7					
12. Molina, David, Spain, 2003												
103B	1	1.7	6.5	7.0	6.0	6.5	6.5	19.50	33.15	33.15	33.15	2.
201B	1	1.6	6.0	6.0	6.0	5.5	5.5	17.50	28.00	61.15	61.15	4.
301B	1	1.7	4.5	4.5	4.0	5.5	4.0	13.00	22.10	83.25	83.25	13.
401B	1	1.5	6.0	7.0	7.0	6.0	6.5	19.50	29.25	112.50	112.50	10.
5132D	1	2.2	6.0	6.0	6.0	5.5	6.0	18.00	39.60	152.10	152.10	6.
105B	1	2.6	4.5	5.0	4.0	4.0	4.5	13.00	33.80	185.90	185.90	8.
203B	1	2.3	4.5	5.0	4.5	4.5	4.5	13.50	31.05	216.95	216.95	7.
303C	1	2.1	2.0	2.5	2.5	3.0	2.5	7.50	15.75	232.70	232.70	16.
403B	1	2.4	6.0	5.5	5.5	5.5	5.5	16.50	39.60	272.30	272.30	12.
		18.1	5.1	5.4	5.1	5.1	5.1					
13. Marx, Jan, SVNA, 2002												
403C	1	2.2	5.0	5.5	5.0	4.5	5.0	15.00	33.00	33.00	33.00	5.
101B	1	1.3	6.0	6.0	6.0	5.5	5.5	17.50	22.75	55.75	55.75	15.
201B	1	1.6	5.5	6.0	6.0	5.0	6.0	17.50	28.00	83.75	83.75	12.
301B	1	1.7	6.0	5.5	6.5	6.0	5.5	17.50	29.75	113.50	113.50	7.
5132D	1	2.2	4.0	4.0	3.5	3.5	3.5	11.00	24.20	137.70	137.70	17.
105C	1	2.4	4.5	4.5	4.5	4.0	5.0	13.50	32.40	170.10	170.10	17.
203B	1	2.3	3.5	4.5	5.5	4.0	5.0	13.50	31.05	201.15	201.15	18.
303C	1	2.1	6.0	6.0	6.0	5.5	5.5	17.50	36.75	237.90	237.90	13.
5233D	1	2.5	4.5	4.5	4.5	4.5	4.5	13.50	33.75	271.65	271.65	13.
		18.3	5.0	5.2	5.3	4.7	5.1					

14. Meulebeek, Tycho, NEDE, 2002												
401B	1	1.5	6.0	6.5	6.0	6.5	6.5	19.00	28.50	28.50	28.50	12.
103B	1	1.7	6.0	5.5	6.0	6.0	6.0	18.00	30.60	59.10	59.10	7.
201B	1	1.6	6.0	6.5	6.5	6.0	6.0	18.50	29.60	88.70	88.70	6.
301B	1	1.7	5.0	5.0	5.5	5.0	5.0	15.00	25.50	114.20	114.20	6.
5231D	1	2.1	5.0	5.5	5.5	5.5	5.5	16.50	34.65	148.85	148.85	9.
403B	1	2.4	3.5	3.5	3.0	3.5	3.5	10.50	25.20	174.05	174.05	16.
105B	1	2.6	5.0	4.5	5.0	4.5	5.0	14.50	37.70	211.75	211.75	12.
203B	1	2.3	4.0	4.5	4.0	3.5	4.0	12.00	27.60	239.35	239.35	12.
305C	1	3.0	3.5	3.0	3.5	2.0	3.5	10.00	30.00	269.35	269.35	14.
		18.9	4.9	4.9	5.0	4.7	5.0					
15. Zaspel, Adrian, Swiss Diving, 2003												
401B	1	1.5	7.0	6.0	6.0	5.0	6.0	18.00	27.00	27.00	27.00	16.
103B	1	1.7	6.0	6.0	6.0	5.5	5.0	17.50	29.75	56.75	56.75	13.
201B	1	1.6	6.0	6.0	5.5	5.5	5.5	17.00	27.20	83.95	83.95	11.
301C	1	1.6	5.5	5.5	6.5	5.5	5.0	16.50	26.40	110.35	110.35	13.
5132D	1	2.2	5.0	4.5	4.0	4.5	4.5	13.50	29.70	140.05	140.05	14.
105C	1	2.4	5.5	5.0	5.0	4.5	4.5	14.50	34.80	174.85	174.85	15.
403B	1	2.4	5.5	5.5	5.0	5.0	5.0	15.50	37.20	212.05	212.05	11.
203C	1	2.0	6.0	5.5	6.0	4.5	5.0	16.50	33.00	245.05	245.05	10.
303C	1	2.1	3.0	3.0	3.5	3.0	2.0	9.00	18.90	263.95	263.95	15.
		17.5	5.5	5.2	5.3	4.8	4.7					
16. Raatgever, Marien, NEDN, 2003												
401B	1	1.5	6.5	6.0	7.0	6.5	6.5	19.50	29.25	29.25	29.25	11.
103B	1	1.7	5.0	5.0	5.0	5.0	5.5	15.00	25.50	54.75	54.75	16.
201C	1	1.5	6.0	6.0	7.0	6.0	6.5	18.50	27.75	82.50	82.50	15.
301C	1	1.6	4.0	4.5	4.0	4.5	4.5	13.00	20.80	103.30	103.30	19.
5122D	1	1.9	5.5	5.0	5.0	4.5	5.5	15.50	29.45	132.75	132.75	19.
104C	1	2.2	5.0	5.0	5.0	5.0	5.5	15.00	33.00	165.75	165.75	19.
403C	1	2.2	6.0	5.5	6.0	5.0	5.5	17.00	37.40	203.15	203.15	16.
203C	1	2.0	4.0	4.0	4.5	3.5	4.0	12.00	24.00	227.15	227.15	17.
303C	1	2.1	4.0	4.5	4.0	3.5	4.0	12.00	25.20	252.35	252.35	16.
		16.7	5.1	5.1	5.3	4.8	5.3					
17. Baumgartner, Noah, Swiss Diving, 2003												
103B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	30.60	30.60	8.
201B	1	1.6	6.5	6.5	5.0	6.0	5.5	18.00	28.80	59.40	59.40	6.
301B	1	1.7	3.0	4.5	4.5	4.0	4.5	13.00	22.10	81.50	81.50	16.
401B	1	1.5	6.0	5.5	5.5	5.5	5.5	16.50	24.75	106.25	106.25	17.
5231D	1	2.1	5.0	4.5	5.0	5.0	4.5	14.50	30.45	136.70	136.70	18.
105C	1	2.4	6.0	5.5	5.5	5.5	5.5	16.50	39.60	176.30	176.30	13.
403B	1	2.4	4.0	3.5	3.0	3.0	4.5	10.50	25.20	201.50	201.50	17.
5132D	1	2.2	5.0	5.0	5.0	5.0	5.0	15.00	33.00	234.50	234.50	14.
203B	1	2.3	2.5	2.5	2.5	1.5	2.5	7.50	17.25	251.75	251.75	17.
		17.9	4.9	4.8	4.7	4.6	4.8					
18. Gibbs, Josh, Britain - Plymouth, 2003												
401B	1	1.5	6.0	6.0	6.0	6.0	6.5	18.00	27.00	27.00	27.00	16.
103B	1	1.7	6.0	6.5	6.0	6.0	6.5	18.50	31.45	58.45	58.45	9.
201B	1	1.6	6.0	6.5	6.5	6.0	6.5	19.00	30.40	88.85	88.85	5.
301B	1	1.7	4.5	4.5	4.0	4.0	4.5	13.00	22.10	110.95	110.95	12.
5132D	1	2.2	4.0	4.5	4.0	4.0	4.5	12.50	27.50	138.45	138.45	15.
403B	1	2.4	6.0	5.5	4.5	5.0	6.5	16.50	39.60	178.05	178.05	11.
203B	1	2.3	4.5	4.0	4.0	4.5	4.5	13.00	29.90	207.95	207.95	14.
303C	1	2.1	2.5	2.5	2.0	2.0	3.0	7.00	14.70	222.65	222.65	18.
105C	1	2.4	3.5	3.5	3.0	3.5	3.5	10.50	25.20	247.85	247.85	18.
		17.9	4.8	4.8	4.4	4.6	5.1					
19. Armitage, Ben, Britain - Plymouth, 2002												
401B	1	1.5	5.5	5.5	5.0	5.5	5.5	16.50	24.75	24.75	24.75	20.
103B	1	1.7	5.0	5.5	5.5	5.5	5.5	16.50	28.05	52.80	52.80	18.
201B	1	1.6	5.5	5.5	5.5	6.0	5.5	16.50	26.40	79.20	79.20	18.
301B	1	1.7	5.5	6.0	6.0	6.0	6.5	18.00	30.60	109.80	109.80	15.
5231D	1	2.1	5.0	4.5	4.5	5.0	5.0	14.50	30.45	140.25	140.25	13.
403C	1	2.2	3.5	4.5	3.0	4.0	4.5	12.00	26.40	166.65	166.65	18.
203C	1	2.0	5.0	5.5	5.5	5.5	6.0	16.50	33.00	199.65	199.65	19.
303C	1	2.1	2.0	1.5	2.0	2.0	1.0	5.50	11.55	211.20	211.20	20.
105C	1	2.4	3.0	2.5	3.0	3.0	3.5	9.00	21.60	232.80	232.80	19.
		17.3	4.4	4.6	4.4	4.7	4.8					

20. Oztopcu, Manuel, NEDN, 2002												
103C	1	1.6	4.0	4.0	3.5	3.5	3.0	11.00	17.60	17.60	17.60	22.
401B	1	1.5	6.5	6.5	6.5	6.0	6.0	19.00	28.50	46.10	46.10	21.
201C	1	1.5	4.0	4.0	4.0	4.5	3.5	12.00	18.00	64.10	64.10	22.
301C	1	1.6	5.5	5.0	5.5	5.5	5.5	16.50	26.40	90.50	90.50	22.
5122D	1	1.9	5.0	4.5	4.5	4.0	5.0	14.00	26.60	117.10	117.10	22.
104C	1	2.2	5.0	4.5	4.5	4.0	4.0	13.00	28.60	145.70	145.70	22.
403C	1	2.2	4.0	4.0	4.5	4.5	4.0	12.50	27.50	173.20	173.20	22.
203C	1	2.0	4.5	4.0	4.5	4.5	4.5	13.50	27.00	200.20	200.20	21.
303C	1	2.1	5.5	5.0	5.0	4.5	5.5	15.50	32.55	232.75	232.75	20.
		16.6	4.9	4.6	4.7	4.6	4.6					
21. Jones, Ethan, GBRA, 2003												
103B	1	1.7	4.0	4.0	4.0	4.0	4.0	12.00	20.40	20.40	20.40	21.
401B	1	1.5	5.0	5.0	5.0	5.5	5.0	15.00	22.50	42.90	42.90	22.
201B	1	1.6	5.0	5.0	5.5	5.0	5.5	15.50	24.80	67.70	67.70	21.
303C	1	2.1	5.0	4.5	4.5	5.0	5.0	14.50	30.45	98.15	98.15	21.
5231D	1	2.1	4.5	4.0	4.0	4.5	4.5	13.00	27.30	125.45	125.45	20.
203B	1	2.3	3.0	3.0	3.0	3.5	3.5	9.50	21.85	147.30	147.30	21.
5132D	1	2.2	5.0	5.0	4.5	5.5	5.0	15.00	33.00	180.30	180.30	21.
403C	1	2.2	2.0	2.5	1.5	2.0	2.5	6.50	14.30	194.60	194.60	22.
105C	1	2.4	4.0	4.5	4.0	4.5	4.0	12.50	30.00	224.60	224.60	21.
		18.1	4.2	4.2	4.0	4.4	4.3					
22. Mambro, Alessandro, ITA, 2004												
103B	1	1.7	5.5	5.5	5.0	5.5	5.0	16.00	27.20	27.20	27.20	15.
201B	1	1.6	4.5	4.0	4.0	4.0	4.0	12.00	19.20	46.40	46.40	20.
301B	1	1.7	5.5	5.5	6.5	6.0	5.5	17.00	28.90	75.30	75.30	20.
401B	1	1.5	6.0	6.0	6.5	6.0	6.0	18.00	27.00	102.30	102.30	20.
5223D	1	2.3	3.5	3.0	3.0	3.0	2.0	9.00	20.70	123.00	123.00	21.
105C	1	2.4	4.5	4.5	4.0	4.0	4.0	12.50	30.00	153.00	153.00	20.
403C	1	2.2	5.0	5.0	6.0	5.0	5.5	15.50	34.10	187.10	187.10	20.
203B	1	2.3	3.5	3.5	3.5	3.5	3.5	10.50	24.15	211.25	211.25	19.
303C	1	2.1	1.5	2.0	1.5	1.5	1.0	4.50	9.45	220.70	220.70	22.
		17.8	4.4	4.3	4.4	4.3	4.1					

Kampfrichter:

- | | |
|---------------------------------|----------------------------|
| 1. Gildemeister, Peter, SUI | 2. Rythkönen, Sijria, FINV |
| 3. Leontevskaia, Svetlana, RUSN | 4. Roberts, Malcome, GBRR |
| 5. Jirkova, Iveta, CZE | |

Schiedsrichter: Macroni, Nicola, ITA
 Protokoll: Verse, Guido